
Emperor Concealed Threshold Options








Standard Rebated Threshold

Open Out - No Cill


With Decking

Brick/Concrete



With Patio





Standard Rebated Threshold


Open Out - With 150mm Cill

With Decking



With Patio With






Low Rebated Threshold


Open Out - No Cill

With Decking












Low Rebated Threshold

Open Out - With Clip In Cill










Low Rebated Threshold


Open Out - With Separate Cill





With Patio






Threshold Cill Brick/Concrete


Cill Options & Drainage

85mm Cill - ETC451

Not available with the low rebated threshold.





150mm Cill - ETC457



190mm Cill - ETC458

225mm Cill - ETC479







Drainage

When installing a bifold, drainage paths for the threshold need to be taken into consideration. Please discuss drainage with the installer, homeowner and installer of external flooring. The images below depict an example of each threshold and its drainage path.

Standard Rebated No Cill (Open Out)



Standard Rebated With Cill (Open Out)




Low Rebated No Cill (Open Out)



Low Rebated With Clip In Cill (Open Out)



Low Rebated With Separate Cill (Open Out)



Duration Windows
Thames Development
Charfleets Road
Canvey Island
Essex. SS8 0PQ

sales@duration.co.uk www.duration.co.uk

Head Office 01268 681612 **Showroom** 01268 695100